



CATAMARCA



CATAMARCA

Terroir characteristics



LOCATION

Viticultural area

26° 41' | 28° 23'

SOUTH LATITUDE

66° 02' | 67° 34'

WEST LONGITUDE



TEMP.

Annual Average

18° C

64° F



RAINFALL

Annual Average

432 mm/year

17 in/year



CULTIVATED SURFACE

for vinification*

Ha: **2.494,5**

Ac: **6.164,16**

1.26%

of the country

40%

of the region



ALTITUDE

of the vineyards

750 – 2.300 masl

2.461 – 7.546 fasl




HIGHLIGHTS

The viticultural activity takes place mainly in a succession of valleys located in the western departments, in the axis between the towns of Tinogasta - Fiambalá, and Santa María (which integrates the Calchaquí Valley IG).


CATAMARCA

Varieties

DISTRIBUTION by colour*



Red grapes | **43,3%**
White grapes | **15%**
Pink grapes | **41,6%**



MAIN GRAPE VARIETIES

Most planted*

Torrontés
 Malbec
 Cabernet Sauvignon
 Syrah
 Bonarda

	Ha	Acres	%	%
CATAMARCA	2494,5	6.164,16	Province	Color
Red (vinification)	1082,0	2.673,73	43,38%	100,00%
Malbec	330,1	815,71	13,23%	30,51%
Cabernet Sauvignon	311,4	769,50	12,48%	28,78%
Syrah	217,8	538,21	8,73%	20,13%
Bonarda	112,2	277,26	4,50%	10,37%
Merlot	55,2	136,40	2,21%	5,10%
Tempranillo	19,0	46,95	0,76%	1,76%
Tannat	10,1	24,96	0,40%	0,93%
Pinot Noir	9,4	23,23	0,38%	0,87%
Petit Verdot	0,7	1,73	0,03%	0,06%
Cabernet Franc	0,05	0,12	0,00%	0,00%
Other red varieties	16,1	39,66	0,64%	1,48%
White (vinification)	374,3	924,93	15,01%	100,00%
Torrontés Riojano	344,5	851,29	13,81%	92,04%
Pedro Giménez	12,1	29,90	0,49%	3,23%
Moscatel de Alejandría	10,6	26,19	0,42%	2,83%
Chardonnay	2,3	5,68	0,09%	0,61%
Sauvignon Blanc	0,4	0,99	0,02%	0,11%
Chenin	0,03	0,07	0,00%	0,01%
Other white varieties	4,4	10,80	0,18%	1,17%
Pink (vinification)	1038,2	2.565,50	41,62%	100,00%
Cereza	1007,1	2.488,64	40,37%	97,00%
Criolla Chica	17,9	44,23	0,72%	1,72%
Criolla Grande	9,3	22,98	0,37%	0,90%
Criolla Mediana	0,1	0,25	0,00%	0,01%
Other pink varieties	3,8	9,39	0,15%	0,37%

*Source: National Viticulture Institute
 Annual Surface Report (12/31/2020 database).



CATAMARCA | Tinogasta (IG)

Valleys



| The Tinogasta-Fiambalá area holds a string of valleys located at the mountain foothill in the southwest of Catamarca.



LOCATION
Viticultural area

| **28°04'**
SOUTH
LATITUDE

| **67°34'**
WEST
LONGITUDE



TEMP.
Annual Average

| **17,3° C**
| **63,1° F**



RAINFALL
Annual Average

| **148** mm/year
| **5,8** in/year



CULTIVATED SURFACE
for vinification*

| Ha: **1.479,6**
| Ac: **3.656,24**



60%
of the cultivated
surface of the
province



ALTITUDE
of the vineyards

| **1.110 - 2.050** masl
| **3.600 - 6.700** fasl



**MAIN GRAPE
VARIETIES**
Most planted*

| Cereza
| Syrah
| Bonarda
| Torrontés
| Cabernet Sauvignon

*Source: National Viticulture Institute
Annual Surface Report (12/31/2020 database).



WINESOFARGENTINA.COM

  @winesofarg  /winesofargentina