



**BUENOS AIRES**



# BUENOS AIRES

Terroir characteristics



## LOCATION

Viticultural area

**38° 04' | 38° 49'**

SOUTH LATITUDE

**57° 39' | 62° 40'**

WEST LONGITUDE



## TEMP.

Annual Average

**17° C**

**62,2° F**



## RAINFALL

Annual Average

**511** mm/year

**20,1** in/year



## CULTIVATED SURFACE

for vinification\*

Ha: **147,9**

Ac: **365,48**

**0.07%**

of the country



**25 – 500** masl

**82 – 1.641** fasl



## HIGHLIGHTS

Argentinian wine producers have extended the wine limits to the east, where vineyards receive the influence of the Atlantic ocean.

Chapadmalal represents the easternmost point for vine cultivation in Argentina..

# BUENOS AIRES

Atlantic Viticulture



- | In the **1990s** vine plantation in Argentina was deregulated.
- | Some **ventures** emerged in the Atlantic region.
- | The idea of developing **oceanic wines** gained new strength in **2007** with the development of new vineyards in Chapadmalal.
- | GI Chapadmalal was approved in **2014**, the only one in the area.
- | There are also vineyards of relative importance in Médanos and Sierra de la Ventana.

# BUENOS AIRES


## Varieties

### DISTRIBUTION

by colour\*



**Red grapes** | 65,3%  
**White grapes** | 32,3%  
**Rosé Grapes** | 2,4%



### MAIN GRAPE VARIETIES

Most planted\*

- Chardonnay
- Sauvignon Blanc
- Malbec
- Cabernet Sauvignon
- Merlot

	Ha	Acres	%	%
BUENOS AIRES	147,9	365,48	Province	Colour
<b>Tintas (vinification)</b>	96,5	238,46	65,25%	100,00%
Malbec	12,9	31,88	8,72%	13,37%
Cabernet Sauvignon	12,3	30,39	8,32%	12,75%
Merlot	12,0	29,65	8,11%	12,44%
Pinot Noir	11,1	27,43	7,51%	11,50%
Tannat	9,6	23,72	6,49%	9,95%
Cabernet Franc	7,7	19,03	5,21%	7,98%
Tempranillo	1,6	3,95	1,08%	1,66%
Syrah	1,1	2,72	0,74%	1,14%
Bonarda	0,7	1,73	0,47%	0,73%
Petit Verdot	0,3	0,74	0,20%	0,31%
Other red varieties	27,2	67,21	18,39%	28,19%
<b>White (vinification)</b>	47,8	118,12	32,32%	100,00%
Chardonnay	21,0	51,89	14,20%	43,93%
Sauvignon Blanc	20,2	49,92	13,66%	42,26%
Riesling	3,1	7,66	2,10%	6,49%
Torrontés Riojano	0,3	0,74	0,20%	0,63%
Chenin	0,2	0,49	0,14%	0,42%
Semillón	0,2	0,49	0,14%	0,42%
Viognier	0,04	0,10	0,03%	0,08%
Other white varieties	2,8	6,82	1,87%	5,77%
<b>Pink (vinification)</b>	3,6	8,90	2,43%	100,00%
Cereza	0,8	1,98	0,54%	22,22%
Other pink varieties	2,8	6,92	1,89%	77,78%

\*Source: National Viticulture Institute Annual Surface Report (12/31/2020 database).



Valles vitivinícolas  
**ATLÁNTICA**



Cartografía por FOCUS



**WINESOFARGENTINA.COM**

  @winesofarg  /winesofargentina